#### 1. Identification of the substance/mixture and of the company/undertaking

Cartridges of the following caliber: 1.1 Product identifier:

.22 HORNET, .222 REM, .223 REM, 5.6X50 MAG, 5.6X50 R MAG, 5.6X52,

5.6X57, .243 WIN, 6.5X55 SE, 6.5X57, 6.5X57 R, 6.5X65 RWS, 6.5X65 R RWS, 6.5X68, .270 WIN, .270 WSM, .280 REM, 7X57, 7X57 R, 7MM REM MAG, 7X64, 7X65 R, 7.62X39, .308 WIN, .30-06, .30 R BLASER,

.300 WIN MAG, .300 WSM, 8X57 JS, 8X57 JRS, 8X68 S, .338 LAPUA MAG, 9.3X62, 9.3X64, 9.3X74 R, .375 H&H MAG,

10.3X68 MAG

1.2 Identified uses: The article is intended for use in authorized firearms.

1.3 Details of the supplier of the safety data sheet:

> Manufacturer: RUAG Ammotec GmbH Street: Kronacher Str. 63 Postal code / City: 90765 Fürth Country: Germany

Telephone: +49 911 7930 0 Telefax: +49 911 7930 680

E-mail (competent person): sicherheitsdatenblaetter.ammotec@ruag.com

Information contact: +49 911 7930 289 (technical support)

1.4 Emergency telephone number: +49 911 7930 0

#### 2. **Hazards identification**

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008 [CLP]: 2.1.1 Hazard classes and hazard categories: Expl. 1.4, H204

2.2 Label elements:

2.2.1 Labelling according Regulation (EC) No 1272/2008 [CLP]:

Hazard pictograms:



Signal word: Warning

Hazard statements: H204 Fire or projection hazard.

Precautionary statements: P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P234 Keep only in original container.

P250 Do not subject to grinding/shock/.../friction.

P280 Wear protective gloves/protective clothing and eye/face

protection.

In case of fire: Evacuate area. Fight fire remotely due to the P370+380+375

risk of explosion.

P401 Store in accordance with: national regulations

#### 2.3 Other hazards:

This article contains hazardous substances or mixtures not intended to be released under normal or reasonably foreseeable conditions of use.

## 2.3.1 Adverse physicochemical effects:

This article can be ignited by heat, sparks, flames or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

Remark										Material No. *		
RWS AND GECO RIFLE CARTRIDGES												
				Name	Date	Doc-Typ	Document	Part	Version	Page	1	
RUA	G	Protection notices DIN ISO 16016	Created	RTWIRO	29.10.2018	ZSD	361433	EN0	00	1/7		
		Released	RTWIRO	29.10.2018	230	301433	LINU	00	1//			

Seite 1 von 7

2.3.2 Adverse human health effects and symptoms:

The dismantling of the article is prohibited.

Please observe in any case the safety information.

## 3. Composition/information on ingredients

#### 3.1 Mixtures:

Substance name	EG-No.	REACH-Reg No.	Index-No.	CAS-No.	Concen- tration	Classification according No 127	
					(%)	Hazard classes/ Hazard categories	Hazard statements
Diphenylamine	204-539-4	01- 2119488966- 13	612-026-00-5	122-39-4	0 – 1	Acute Tox. 3 STOT RE 2 Aquatic acute 1 Aquatic chronic 1	301, 311, 331 373 400 410
Nitroglycerine	200-240-8	01- 2119488893- 18	603-034-00-X	55-63-0	0 – 6	Unst. Expl. Acute Tox. 1 STOT RE 2 Aquatic chronic 2	200 300, 310, 330 373 411
Lead styphnate	239-290-0	01- 2119543737- 30	609-019-00-4	15245-44-0	0 – 1	Unst. Expl. Repr. 1A Acute Tox. 4 STOT RE 2 Aquatic acute 1 Aquatic chronic 1	200 360Df 302, 332 373 400 410
Diethyldiphenyl- urea	291-645-2	01- 2119969270- 36	unknown	85-98-3	0-2	Acute Tox. 4 Aquatic chronic 3	302 412

#### 3.2 Remark:

Further ingredients are below the cut-off values according to regulation (EC) 1272/2008 or possess only physicochemical properties.

The articles contain lead, massive (SVHC) in the projectile except EVOLUTION GREEN, HIT and GECO ZERO.

Full text of H- and EUH-phrases: see section 16.

# 4. First aid measures

## 4.1 General information:

First aid measures only required by release of ingredients or generation of decomposition products. Medical treatment necessary.

4.2 Following inhalation: In case of inhalation of decomposition products, affected person should be moved

into fresh air and kept still. Apply cortisone spray at early stage.

4.3 Following skin contact: After contact with skin, wash immediately with soap and plenty of water.

4.4 Following eye contact: In case of contact with eyes flush immediately with plenty of flowing water for 10 to

15 minutes holding eyelids apart and consult an ophthalmologist.

4.5 Following ingestion: If accidentally swallowed rinse the mouth with plenty of water (only if the person is

conscious) and obtain immediate medical attention. Do NOT induce vomiting.

4.6 Self-protection of the first aider: First aider: Pay attention to self-protection!

RWS AND GE	CO RIFLI	E CARTRIDGES					
RUAG			Doc-Typ	Document	Part	Version	Page
	Protection notices DIN ISO 16016		ZSD	361433	EN0	00	2/7

# FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

#### 4.7 Notes for the doctor:

If decomposition products are inhaled the following symptoms can occur:

Unconsciousness, Impaired consciousness, Cyanosis (blue coloured blood), Vomiting,

Cardiac arrhythmias, Headache, Spasms, Circulatory collapse, Dizziness, Impairment of vision, Nausea

#### Treatment:

Supervise the blood circulation. Regulation of the blood circulation, possible shock treatment. Where appropriate artificial ventilation.

In the case of bluish discoloration (lips, earlobes, finger nails) give oxygen as soon as possible.

In the case of lung irritation: Primary treatment by using Corticoid spray, e.g. Auxiloson spray, Pulmicort-dosage-spray (Auxiloson and Pulmicort are registered trademarks).

# 5. <u>Fire-fighting measures</u>

- 5.1 Suitable extinguishing media: Water and extinguishing powder from safe distance at fire in the surroundings.
- 5.2 Extinguishing media which must not be used for safety reasons: not applicable.
- 5.3 Hazardous combustion products:

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrous gases (NO<sub>X</sub>)

5.4 Special protective equipment for fire-fighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

5.5 Additional information:

Do not inhale explosion and combustion gases. Co-ordinate fire-fighting measures to the fire surroundings. Do not allow run-off from fire-fighting to enter drains or water courses. Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

#### 6.1 Personal precautions:

Avoid generation of dust. Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2 Environmental precautions:

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up:

Suitable material for taking up: Water

Take up mechanically, placing in appropriate containers for disposal. Avoid generation of dust.

# 7. Handling and Storage

- 7.1 Precautions for safe handling:
- 7.1.1 Advices on safe handling:

It is recommended to design all work processes always so that the following is excluded:

Inhalation of dust/particles, skin contact, eye contact, depositing of dust.

Working places should be designed allow cleaning at any time.

Wear personal protection equipment (refer to section 8).

RWS AND GEO	CO RIFLI	E CARTRIDGES					
RUAG			Doc-Typ	Document	Part	Version	Page
	Protection notices DIN ISO 16016		ZSD	361433	EN0	00	3/7

# VOLUNTARY SAFETY INFORMATION

# FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

#### 7.1.2 Measures to prevent fire:

The product is: explosive.

Keep away from sources of ignition - No smoking.

Handle with care - avoid bumps, friction and impact.

#### 7.1.3 Measures to prevent aerosol and dust generation:

Provide adequate ventilation as well as local exhaustion at critical locations.

## 7.1.4 Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work.

Take off immediately all contaminated clothing.

# 7.2 Conditions for safe storage, including any incompatibilities:

7.2.1 Technical measures and storage conditions:

Storage temperature: 0 °C (32 °F) to + 30 °C (86 °F)

Recommended storage temperature: + 20 °C (68 °F) Relative air humidity: max. 60 %

# 7.2.2 Requirements for storage rooms and vessels:

Keep/store only in original container.

Store in a place accessible by authorized persons only.

#### 7.2.3 Hints on joint storage:

Do not store together with inflammable or other substances that mean an increase of risk.

Observe in addition any national regulations.

7.2.4 Storage class: Explosive substances

Storage class: 1.4 Compatibility group: S

# 8. Exposure controls / Personal protection

## 8.1 Exposure limit values:

### 8.1.1 Occupational exposure limits (OEL):

CAS-No.	Limit value type	Substance name	OE	L	Peak limita-	Remarks /
EC-No.	(country of origin)	Substance name	ml/m³	mg/m³	tion	Source
630-08-0 211-128-3	AGW (DE)	Carbon monoxide	30	35	1(II)	TRGS 900
124-38-9 204-696-9	AGW (DE)	Carbon dioxide	5000	9100	2(II)	TRGS 900
	AGW (DE)	A: Alveolar fraction E: Respirable fraction		1.25 10	2(II)	TRGS 900

## 8.1.2 Biological occupational exposure limit values:

CAS-No. EC-No.	Limit value type (country of origin)	Substance name	Parameter	Limit value	Test material	Remarks / Source
630-08-0 211-128-3	BGW (DE)	Carbon monoxide	CO-Hb	5 %	Whole blood (B)	TRGS 903

#### 8.2 Exposure controls:

#### 8.2.1 Appropriate engineering controls:

See section 7. Any further measures are not necessary.

# 8.2.2 Personal protection equipment:

Respiratory protection: No personal respiratory protective equipment normally required.

Dust formation: Filtering Half-face mask (DIN EN 149) FFP2

Hand protection: Hand protection is not necessary.

Eye glasses with side protection or visor made of safety glass.

Protective clothing: Wear anti-static footwear and clothing.

Protection of the ears: Necessary.

RWS AND GE	CO RIFL	E CARTRIDGES					
RUAG	Protection notices DIN ISO 16016		Doc-Typ ZSD	Document 361433	Part EN0	Version 00	Page 4/7

# FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

#### 8.3 Additional information:

Preventive industrial medical examinations are to be offered.

# 9. Physical and chemical Properties

No data available, article.

## 10. Stability and Reactivity

10.1 Conditions to avoid:

In case of warming:

In case of impact or pressure influence:

Reaction takes place at temperatures above:

Danger of explosion

Danger of explosion

Ca. 150 °C (302 °F)

10.2 Materials to avoid:

Reaction: Acid, Alkali (Lye)

10.3 Hazardous decomposition products:

Thermal decomposition can lead to the escape of irritating gases and vapours.

Exothermal decomposition with formation of: carbon monoxide, carbon dioxide, nitrous gases (NOx), metal oxides

#### 11. Toxicological information

#### 11.1 General remarks:

No harmful effects are to be expected if used properly.

The contained ingredients can be harmful for humans, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

#### 12. Ecological information

## 12.1 General remarks:

No harmful effects are to be expected if used properly.

The contained ingredients can be harmful for the environment, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

## 13. <u>Disposal considerations</u>

## 13.1 Product/Packaging disposal:

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

13.2 List of proposed waste codes/waste designations in accordance with AVV:

Waste codes product: 16 04 01\*
Waste name: Ammunition
Remark: Hazardous waste

# 13.3 Additional information:

Completely ignited articles may be recycled.

RWS AND GEO	CO RIFLI	E CARTRIDGES					
RUAG	Protection notices DIN ISO 16016		Doc-Typ  ZSD	361433	Part EN0	Version 00	Page 5/7

# 14. <u>Transport information</u>

## 14.1 Land / sea / air transport:

	Land transport	Sea transport	Air transport			
	(ADR/RID)	(IMDG)	(ICAO-TI / IATA-DGR)			
	Pa	atronen für Handfeuerwaff	en			
Official transport designation	Cartridges, small arms					
	Cartouches pour armes de petit calibre					
Class		1.4S				
UN-No.	0012					
Packing group		-				
Special provisions	36	64	A802			
Limited quantity	5	kg	forbidden			
Tunnel restriction code	E	not applicable	not applicable			
EmS-No.	not applicable	F-B, S-X	not applicable			

14.2 Packaging:

Permitted packing according to packing instructions:

According to ADR/RID/IMDG: P130 According to ICAO-TI/IATA-DGR: 130

Inner: not applicable Intermediate: not applicable

Outer: type approved and authorized box of packing group II:

e.g. of fibreboard (4G) or of natural wood, ordinary (4C1)

14.3 Information of mass:

Net explosive quantity (NEQ) per article: max. 6 g

Total mass per article: max. 50 g

14.4 Additional information:

Exemptions (1.1.3.6 ADR): unlimited.

# 15. Regulatory information

15.1 Safety, health and environmental regulations/specific legislation:

15.1.1 EU-Legislation:

Directive 91/477/EEC on control of the acquisition and possession of weapons.

Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.

15.1.2 National regulations:

Observe in addition any national regulations!

Germany:

Water hazard class: Article, not applicable

To follow: Chemikaliengesetz (ChemG)

Sprengstoffgesetz (SprengG)

Waffengesetz (WaffG)

Beschussgesetz (BeschussG) Kriegswaffenkontrollgesetz (KWKG) Gefahrstoffverordnung (GefStoffV)

Technische Regeln für Gefahrstoffe: TRGS 510, 900, 903, 905 Berufsgenossenschaftliche Vorschriften: DGUV Regel 113-017

RWS AND GEO	CO RIFLI	E CARTRIDGES					
RUAG			Doc-Typ	Document	Part	Version	Page
	Protection notices DIN ISO 16016		ZSD	361433	EN0	00	6/7

# 16. Other information

16.1 Indication of changes: First edition.

16.2 Relevant H- and EUH-phrases (Number and full text):

H-phrases:

200 Unstable explosives.

300+310+330 Fatal if swallowed, in contact with skin or if inhaled. 301+311+331 Toxic if swallowed, in contact with skin or if inhaled.

Harmful if swallowed.

302+332 Harmful if swallowed or if inhaled.

360Df May damage the unborn child. Suspected of damaging fertility.

373 May cause damage to organs through prolonged or repeated exposure.

400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

#### 16.3 Additional information:

The above information describes exclusively the safety requirements of the article and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the article for storage, processing, transport and disposal. The information cannot be transferred to other articles.

RWS AND GE	CO RIFL	E CARTRIDGES					
RUAG	Protection notices DIN ISO 16016		Doc-Typ ZSD	361433	Part EN0	Version 00	Page