# VOLUNTARY SAFETY INFORMATION

# FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

# 1. Identification of the substance/mixture and of the company/undertaking

- 1.1Product identifier:.315 Blank, 8 mm Blank, 9 mm PA Blank, 9 mm PA Blank Super Flash,<br/>9 mm R Blank (Nitro-RB)
- 1.2 Identified uses: The article is intended for use in authorized firearms.

1.3	Details of the supplier of the safety	/ data sheet:
	Manufacturer:	RUAG Hungarian Ammotec Inc.
	P.O.Box:	P.O. Box 9
	Postal code / City:	3332 Sirok
	Country:	Hungary
	Telephone:	+36 36 561 303
	Telefax:	+36 36 561 027
	E-mail (competent person):	sicherheitsdatenblaetter.ammotec@ruag.com
	Information contact:	+43 676 953 7260 (technical support)

1.4 Emergency telephone number: +36 30 535 91 93

# 2. Hazards identification

- 2.1 Classification of the product:
- 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Hazard classes and hazard categories: Expl. 1.4, H204
- 2.2 Label elements:
- 2.2.1 Labelling according Regulation (EC) No 1272/2008 [CLP]:

Hazard pictograms:

Signal	word:	Warning	
Hazard	statements:	H204	Fire or projection hazard.
Precau	tionary statements:	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P234	Keep only in original container.
		P250	Do not subject to grinding/shock//friction.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P370+P380	In case of fire: Evacuate area.
		P374 P401	Fight fire with normal precautions from a reasonable distance. Store in accordance with: national regulations

- 2.3 Other hazards: This article contains hazardous substances or mixtures not intended to be released under normal or reasonably foreseeable conditions of use.
- 2.3.1 Adverse physicochemical effects: This article can be ignited by heat, sparks, flames or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).
- 2.3.2 Adverse human health effects and symptoms: The dismantling of the article is prohibited. Please observe in any case the safety information.

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	ZSD	850001	EN0	02	1/6
		Released	RTWIRO	23.11.2016	230	00001	EINU	02	1/0

# 3. <u>Composition/information on ingredients</u>

#### 3.1 Mixtures:

Substance name	stance name EG-No. REACH-Reg No.		Index-No.	CAS-No.	Concen- tration	Classification according to Regulation (EC) No 1272/2008		
					(%)	Hazard classes/ Hazard categories	Hazard statements	
Lead styphnate	239-290-0	01- 2119543737- 30-0000	609-019-00-4	15245-44- 0	0,1 – 1	Unst. Expl. Repr. 1A Acute Tox. 4 STOT RE 2 Aquatic acute 1 Aquatic chronic 1	200 360Df 302, 332 373 400 410	
Nitroglycerine	200-240-8	unknown	603-034-00-X	55-63-0	0 – 1	Unst. Expl. Acute Tox. 1 STOT RE 2 Aquatic chronic 2	200 300, 310, 330 373 411	
Diphenylamine	204-539-4	unknown	612-026-00-5	122-39-4	< 1	Acute Tox. 3 STOT RE 2 Aquatic acute 1 Aquatic chronic 1	301, 311, 331 373 400 410	
Dibutylphthalate	201-557-4	unknown	607-318-00-4	84-74-2	0 – 1	Repr. 1B Aquatic acute 1	360Df 400	

#### 3.2 Remark:

Further ingredients are below the cut-off values according to regulation (EC) 1272/2008 or possess only physicochemical properties.

Full text of H- and EUH-phrases: see section 16.

# 4. First aid measures

#### 4.1 General information:

First aid measures only required by release of ingredients or generation of decomposition products. Medical treatment necessary.

- 4.2 Following inhalation: In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. Apply cortisone spray at early stage.
- 4.3 Following skin contact: After contact with skin, wash immediately with soap and plenty of water.
- 4.4 Following eye contact: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
- 4.5 Following ingestion: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.
- 4.6 Self-protection of the first aider: First aider: Pay attention to self-protection!
- 4.7 Notes for the doctor:

If decomposition products are inhaled the following symptoms can occur: Unconsciousness, impaired consciousness, cyanosis (blue coloured blood), vomiting, cardiac arrhythmias, headache, spasms, circulatory collapse, dizziness, impairment of vision, nausea

#### Treatment:

Supervise the blood circulation. Regulation of the blood circulation, possible shock treatment. Where appropriate artificial ventilation.

In the case of bluish discoloration (lips, earlobes, finger nails) give oxygen as soon as possible. In the case of lung irritation: Primary treatment by using Corticoid spray, e.g. Auxiloson spray, Pulmicortdosage-spray (Auxiloson and Pulmicort are registered trademarks).

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	790	850001	EN0	02	2/6
		Released	RTWIRO	23.11.2016	230	000001	EINU	02	2/0

# VOLUNTARY SAFETY INFORMATION

FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

# 5. <u>Fire-fighting measures</u>

- 5.1 Suitable extinguishing media: Water and extinguishing powder from safe distance at fire in the surroundings.
- 5.2 Extinguishing media which must not be used for safety reasons: not applicable.
- 5.3 Hazardous combustion products: In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrous gases (NO<sub>X</sub>)
- 5.4 Special protective equipment for fire-fighters: Wear a self-contained breathing apparatus and chemical protective clothing.
- 5.5 Additional information: Do not inhale explosion and combustion gases. Co-ordinate fire-fighting measures to the fire surroundings. Do not allow run-off from fire-fighting to enter drains or water courses. Move undamaged containers from immediate hazard area if it can be done safely.

### 6. Accidental release measures

- 6.1 Personal precautions: Avoid generation of dust. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2 Environmental precautions: Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- 6.3 Methods for cleaning up:
   Suitable material for taking up: Water
   Take up mechanically, placing in appropriate containers for disposal. Avoid generation of dust.

# 7. Handling and Storage

- 7.1 Precautions for safe handling:
- 7.1.1 Advices on safe handling: It is recommended to design all work processes always so that the following is excluded: Inhalation of dust/particles, skin contact, eye contact, depositing of dust. Working places should be designed allow cleaning at any time. Wear personal protection equipment (refer to section 8).
- 7.1.2 Measures to prevent fire: The product is: explosive.
   Keep away from sources of ignition - No smoking.
   Handle with care - avoid bumps, friction and impact.
- 7.1.3 Measures to prevent aerosol and dust generation: Provide adequate ventilation as well as local exhaustion at critical locations.
- 7.1.4 Advices on general occupational hygiene When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Take off immediately all contaminated clothing.
- 7.2 Conditions for safe storage, including any incompatibilities:
- 7.2.1 Technical measures and storage conditions: Storage temperature: 0 °C (32 °F) to + 30 °C (86 °F) Recommended storage temperature: + 20 °C (68 °F) Relative air humidity: max. 60 %

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	ZSD	850001	EN0	02	3/6
		Released	RTWIRO	23.11.2016	230	00001	EINU	UΖ	3/0

- 7.2.2 Requirements for storage rooms and vessels: Keep/store only in original container. Store in a place accessible by authorized persons only.
- 7.2.3 Hints on joint storage:
   Do not store together with inflammable or other substances that mean an increase of risk.
   Observe in addition any national regulations.
- 7.2.4 Storage class: Explosive substances Storage class: 1.4 Compatibility group: S

### 8. Exposure controls / Personal protection

- 8.1 Exposure limit values:
- 8.1.1 Occupational exposure limits (OEL):

CAS-No. EC-No.	Limit value type (country of origin)	Substance name	OEL ml/m <sup>3</sup> mg/m <sup>3</sup>		Peak limitation	Remarks / Source
630-08-0 211-128-3	AGW (DE)	Carbon monoxide	30	35	1(II)	TRGS 900
124-38-9 204-696-9	AGW (DE)	Carbon dioxide	5000	9100	2(II)	TRGS 900
	AGW (DE)	A: Alveolar fraction E: Respirable fraction		1,25 10	2(II)	TRGS 900

#### 8.1.2 Biological occupational exposure limit values:

CAS-No. EC-No.	Limit value type (country of origin)	Substance name	Parameter	Limit value	Test material	Remarks / Source
630-08-0 211-128-3	BGW (DE)	Carbon monoxide	CO-Hb	5 %	Whole blood (B)	TRGS 903

#### 8.2 Exposure controls:

8.2.1 Technical measures to prevent exposure: See section 7. Any further measures are not necessary.

# 8.2.2 Personal protection equipment:

Respiratory protection:	No personal respiratory protective equipment normally required. Dust formation: Filtering Half-face mask (DIN EN 149) FFP2
Hand protection:	Hand protection is not required
Eye protection:	Eye glasses with side protection or visor made of safety glass.
Protective clothing:	Wear anti-static footwear and clothing.
Protection of the ears:	Necessary.

8.3 Additional information: Preventive industrial medical examinations are to be offered.

# 9. <u>Physical and chemical Properties</u>

No data available, article.

# 10. Stability and Reactivity

10.1 Conditions to avoid: In case of warming: In case of impact or pressure influence: Reaction takes place at temperatures above:

Danger of explosion Danger of explosion ca. 150 °C (302 °F)

10.2 Materials to avoid: Reaction: Acid, Lye

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.										
			Name	Date	Doc-Typ	Document	Part	Version	Page	
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	700	850001	EN0	02	4/6	
		Released	RTWIRO	23.11.2016	230	000001		02	4/0	

10.3 Hazardous decomposition products: Thermal decomposition can lead to the escape of irritating gases and vapours. Exothermal decomposition with formation of: carbon monoxide, carbon dioxide, nitrous gases (NOx), matel evideo

#### metal oxides

### 11. Toxicological information

#### 11.1 General remarks:

No harmful effects are to be expected if used properly. The contained ingredients can be harmful for humans, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

# 12. Ecological information

# 12.1 General remarks:

No harmful effects are to be expected if used properly. The contained ingredients can be harmful for the environment, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

#### 13. Disposal considerations

 13.1 Product/Packaging disposal: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

 13.2
 List of proposed waste codes/waste designations in accordance with AVV:

 Waste codes product:
 16 04 01\*

 Waste name:
 waste ammunition

 Remark:
 hazardous waste

13.3 Additional information: Completely ignited articles may be recycled.

# 14. Transport information

14.1 Land / sea / air transport:

	Land transport	Sea transport	Air transport			
	(ADR/RID)	(IMDG)	(ICAO-TI / IATA-DGR)			
	Patrone	en für Handfeuerwaffen, N	lanöver			
Official transport designation	C	artridges, small arms, bla	nk			
Official transport designation	Cartouche	s à blanc pour armes de p	petit calibre			
	Va	ktöltények kézifegyverek	nez			
Class		1.4S				
UN-No.		0014				
Packing group		II				
Special provisions	30	64	A802			
Limited quantity	5	kg	forbidden			
Tunnel restriction code	E not applicable not applicable					
EmS-No.	not applicable F-B, S-X not applicable					

14.2 Packaging:

 Permitted packing according to packing instructions:

 According to ADR/RID/IMDG:
 P130

 According to ICAO-TI/IATA-DGR:
 130

 Inner:
 not required

 Intermediate:
 not required

 Outer:
 type approved and authorized box of packing group II:

 e. g. of fibreboard (4G) or of natural wood, ordinary (4C1)

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	790	850001	EN0	02	5/6
		Released	RTWIRO	23.11.2016	230	00001	EINU	02	0/C

14.3	Information of mass: Net explosive quantity (NEQ) per article:	max. 0,2 g		
	Total mass per article:	max. 4,2 g		

14.4 Additional information: Exemptions (1.1.3.6 ADR): unlimited.

# 15. <u>Regulatory information</u>

- 15.1 Safety, health and environmental regulations/specific legislation:
- 15.1.1 EU-Legislation:

Directive 91/477/EEC on control of the acquisition and possession of weapons. Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures

DGUV Regel 113-017

15.1.2 National regulations:

Observe in addition any national regulations!

Water hazard class (WGK): Article, not applicable Chemikaliengesetz (ChemG) Sprengstoffgesetz (SprengG) Waffengesetz (WaffG) Beschussgesetz (BeschussG) Kriegswaffenkontrollgesetz (KWKG) Gefahrstoffverordnung (GefStoffV) Technische Regeln für Gefahrstoffe: TRGS 510, 900, 903, 905

# 16. Other information

16.1 Indication of changes: Editorial revision.

Berufsgenossenschaftliche Vorschriften:

- 16.2 Relevant H- and EUH-phrases (Number and full text):
  - H-phrases:

200

Unstable explosives.

300+310+330 Fatal if swallowed, in contact with skin or if inhaled.

- 301+311+331 Toxic if swallowed, in contact with skin or if inhaled.
- 302+332 Harmful if swallowed or if inhaled.
- 360Df May damage the unborn child. Suspected of damaging fertility.
- 373 May cause damage to organs through prolonged or repeated exposure.
- 400 Very toxic to aquatic organisms.
- 410 Very toxic to aquatic life with long lasting effects.
- 411 Toxic to aquatic life with long lasting effects.

# 16.3 Further information:

The above information describes exclusively the safety requirements of the article and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the article for storage, processing, transport and disposal. The information cannot transferred to other articles.

BLANK CARTRIDGES RUAG HUNGARIAN AMMOTEC INC.										
			Name	Date	Doc-Typ	Document	Part	Version	Page	
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	23.11.2016	700	850001	EN0	02	6/6	
		Released	RTWIRO	23.11.2016	230	00001	EINU	02	6/6	