# VOLUNTARY SAFETY INFORMATION

FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

## 1. Identification of the substance/mixture and of the company/undertaking

- 1.1
   Product identifier:
   Cartridges with lead shot

   Gauge: 12/76, 12/70, 12/67,5, 16/70, 16/67,5, 20/76, 20/67,5
   Cartridges with lead-free shot

   Gauge: 12/76, 12/70, 12/67,5, 16/70, 16/67,5, 20/70, 20/67,5
   Cartridges with shotgun slug

   Gauge: 12/76, 12/70, 12/67,5, 16/70, 16/67,5, 20/70, 20/67,5
   Cartridges with shotgun slug

   Gauge: 12/76, 12/70, 12/67,5, 16/70, 16/67,5, 20/76, 20/70
   Cartridges with shotgun slug
- 1.2 Identified uses: The article is intended for use in authorized firearms.

1.3	Details of the supplier of the safety	/ data sheet:
	Manufacturer:	RUAG Ammotec GmbH
	Street:	Kronacher Str. 63
	Postal code / City:	90765 Fürth
	Country:	Germany
	Telephone:	+49 911 7930 0
	Telefax:	+49 911 7930 680
	E-mail (competent person): Information contact:	sicherheitsdatenblaetter.ammotec@ruag.com +49 911 7930 289 (technical support)

1.4 Emergency telephone number: +49 911 7930 0

## 2. <u>Hazards identification</u>

- 2.1 Classification of the substance or mixture:
- 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Hazard classes and hazard categories: Expl. 1.4, H204
- 2.2 Label elements:
- 2.2.1 Labelling according Regulation (EC) No 1272/2008 [CLP]:

Hazard pictograms:



Signal word:	Warning	
Hazard statements:	H204	Fire or projection hazard.
Precautionary statements:	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P234	Keep only in original container.
	P250	Do not subject to grinding/shock//friction.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P370+P380	In case of fire: Evacuate area.
	P374	Fight fire with normal precautions from a reasonable distance.
	P401	Store in accordance with: national regulations

#### 2.3 Other hazards: This article contains hazardous substances or mixtures not intended to be released under normal or reasonably foreseeable conditions of use.

2.3.1 Adverse physicochemical effects:

This article can be ignited by heat, sparks, flames or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

2.3.2 Adverse human health effects and symptoms: The dismantling of the article is prohibited. Please observe in any case the safety information.

ROTTWEIL AND GECO SHOTSHELLS										
			Name	Date	Doc-Typ	Document	Part	Version	Page	
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	30.05.2016	700	600012	EN0	02	1/6	
		Released	RTWIRO	30.05.2016	290	000012	EINU	02	1/0	

# VOLUNTARY SAFETY INFORMATION FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

# 3. <u>Composition/information on ingredients</u>

#### 3.1 Mixtures:

Substance name	EG-No.	REACH-Reg No.	Index-No.	CAS-No.	Concen tration	Classification according to Regulation (EC) N 1272/2008	
					(%)	Hazard classes/ Hazard categories	Hazard statements
Nitroglycerine	200-240-8	unknown	603-034-00-X	55-63-0	0,1 – 1	Unst. Expl. Acute Tox. 1 STOT RE 2 Aquatic chronic 2	200 300, 310, 330 373 411

#### 3.2 Remark:

Other ingredients are below the cut-off values according to regulation (EC) 1272/2008 or possess only physicochemical properties.

The article contains lead styphnate (SVHC) in the primer cap.

Full text of H- and EUH-phrases: see section 16.

#### 4. First aid measures

4.1 General information:

First aid measures only required by release of ingredients or generation of decomposition products. Medical treatment necessary.

- 4.2 Following inhalation: In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. Apply cortisone spray at early stage.
- 4.3 Following skin contact: After contact with skin, wash immediately with soap and plenty of water.
- 4.4 Following eye contact: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
- 4.5 Following ingestion: If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting.
- 4.6 Self-protection of the first aider: First aider: Pay attention to self-protection!
- 4.7 Notes for the doctor:

If decomposition products are inhaled the following symptoms can occur: Unconsciousness, Impaired consciousness, Cyanosis (blue coloured blood), Vomiting, Cardiac arrhythmias, Headache, Spasms, Circulatory collapse, Dizziness, Impairment of vision, Nausea

#### Treatment:

Supervise the blood circulation. Regulation of the blood circulation, possible shock treatment. Where appropriate artificial ventilation.

In the case of bluish discoloration (lips, earlobes, finger nails) give oxygen as soon as possible. In the case of lung irritation: Primary treatment by using Corticoid spray, e.g. Auxiloson spray, Pulmicortdosage-spray (Auxiloson and Pulmicort are registered trademarks).

## 5. <u>Fire-fighting measures</u>

- 5.1 Suitable extinguishing media: Water and extinguishing powder from safe distance at fire in the surroundings.
- 5.2 Extinguishing media which must not be used for safety reasons: not applicable.
- 5.3 Hazardous combustion products: In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO2), Nitrous gases (NO<sub>x</sub>)
- 5.4 Special protective equipment for fire-fighters: Wear a self-contained breathing apparatus and chemical protective clothing.

ROTTWEIL AND GECO SHOTSHELLS									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	30.05.2016	ZSD	600012	EN0	02	2/6
		Released	RTWIRO	30.05.2016	230	000012		UΖ	2/0

# VOLUNTARY SAFETY INFORMATION FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

5.5 Additional information:

Do not inhale explosion and combustion gases. Co-ordinate fire-fighting measures to the fire surroundings. Do not allow run-off from fire-fighting to enter drains or water courses. Move undamaged containers from immediate hazard area if it can be done safely.

#### 6. Accidental release measures

- 6.1 Personal precautions: Avoid generation of dust. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2 Environmental precautions: Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- 6.3 Methods for cleaning up: Suitable material for taking up: Water Take up mechanically, placing in appropriate containers for disposal. Avoid generation of dust.

# 7. Handling and Storage

- 7.1 Precautions for safe handling:
- 7.1.1 Advices on safe handling:
   It is recommended to design all work processes always so that the following is excluded:
   Inhalation of dust/particles, skin contact, eye contact, depositing of dust.
   Working places should be designed allow cleaning at any time.
   Wear personal protection equipment (refer to section 8).
- 7.1.2 Measures to prevent fire: The product is: explosive.
   Keep away from sources of ignition - No smoking.
   Handle with care - avoid bumps, friction and impact.
- 7.1.3 Measures to prevent aerosol and dust generation: Provide adequate ventilation as well as local exhaustion at critical locations.
- 7.1.4 Advices on general occupational hygiene When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Take off immediately all contaminated clothing.
- 7.2 Conditions for safe storage, including any incompatibilities:
- 7.2.1 Technical measures and storage conditions: Storage temperature: 0°C (32°F) to + 30°C (86°F) Recommended storage temperature: + 20°C (68 °F) Relative air humidity: max. 60 %
- 7.2.2 Requirements for storage rooms and vessels: Keep/store only in original container. Store in a place accessible by authorized persons only.
- 7.2.3 Hints on joint storage:Do not store together with inflammable or other substances that mean an increase of risk.Observe in addition any national regulations.
- 7.2.4 Storage class: Explosive substances Storage class: 1.4 Compatibility group: S

#### **ROTTWEIL AND GECO SHOTSHELLS** Name Date Doc-Typ Document Part Version Page RUAG Protection notices Created RTWIRO 30.05.2016 DIN ISO 16016 ZSD 600012 EN0 02 3/6 Released RTWIRO 30.05.2016

# 8. Exposure controls / Personal protection

#### 8.1 Exposure limit values:

Preventive industrial medical examinations are to be offered.

Occupational exposure limits (OEL):

CAS-No. EC-No.	Limit value type (country of origin)	Substance name	OE ml/m <sup>3</sup>	L mg/m <sup>3</sup>	Peak limitation	Remarks / Source
630-08-0 211-128-3	AGW (DE)	Carbon monoxide	30	35	1(II)	TRGS 900
124-38-9 204-696-9	AGW (DE)	Carbon dioxide	5000	9100	2(II)	TRGS 900
	AGW (DE)	A: Alveolar fraction E: Respirable fraction		1,25 10	2(II)	TRGS 900

Biological occupational exposure limit values:

CAS-No. EC-No.	Limit value type (country of origin)	Substance name	Parameter	Limit value	Test material	Remarks / Source
630-08-0 211-128-3	BGW (DE)	Carbon monoxide	CO-Hb	5 %	Whole blood (B)	TRGS 903

8.2 Exposure controls:

8.2.1 Technical measures to prevent exposure: See section 7. Any further measures are not necessary.

8.2.2 Personal protection equipment:

i oroonar protootion oquipi	nona.
Respiratory protection:	No personal respiratory protective equipment normally required.
	Dust formation: Filtering Half-face mask (DIN EN 149) FFP2
Hand protection:	Hand protection is not required
Eye protection:	Eye glasses with side protection or visor made of safety glass.
Protective clothing:	Wear anti-static footwear and clothing.
Protection of the ears:	Necessary.

#### 9. <u>Physical and chemical Properties</u>

No data available, article.

#### 10. Stability and Reactivity

10.1 Conditions to avoid: In case of warming: In case of impact or pressure influence: Reaction takes place at temperatures above:

Danger of explosion Danger of explosion ca. 150 °C (302 °F)

10.2 Materials to avoid: Reaction: Acid, Alkali (Lye)

10.3 Hazardous decomposition products: Thermal decomposition can lead to the escape of irritating gases and vapours. Exothermal decomposition with formation of: carbon monoxide, carbon dioxide, nitrous gases (NOx), metal oxides

## 11. Toxicological information

11.1 General remarks:

No harmful effects are to be expected if used properly. The contained ingredients can be harmful for humans, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

ROTTWEIL AND GECO SHOTSHELLS									
			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	30.05.2016	ZSD	600012	EN0	02	4/6
		Released	RTWIRO	30.05.2016	230	000012	EINU	UΖ	4/0

# VOLUNTARY SAFETY INFORMATION

FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

# 12. Ecological information

12.1 General remarks:

No harmful effects are to be expected if used properly. The contained ingredients can be harmful for the environment, but they are hermetically enclosed in the article and cannot be released. The dismantling of the article is prohibited.

## 13. Disposal considerations

- 13.1 Product/Packaging disposal:
   Dispose of waste according to applicable legislation.
   Non-contaminated packages may be recycled.
- 13.2 List of proposed waste codes/waste designations in accordance with AVV: Waste codes product: 16 04 01\*
   Waste name: waste ammunition Remark: hazardous waste
- 13.3 Additional information: Completely ignited articles may be recycled.

# 14. Transport information

14.1 Land / sea / air transport:

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)				
Official transport designation		atronen für Handfeuerwaff Cartridges, small arms	fen				
	Cartou	ches pour armes de petit	calibre				
Class	1.4S						
UN-No.		0012					
Packing group		II					
Special provisions	30	64	A802				
Limited quantity	5	kg	forbidden				
Tunnel restriction code	E	not applicable	not applicable				
EmS-No.	not applicable	F-B, S-X	not applicable				

14.2 Packaging:

_	g.	
	Permitted packing	according to packing instructions:
	According to ADR	RID/IMDG-Code: P130
	According to ICAC	-TI/IATA-DGR: 130
	Inner:	not required
	Intermediate:	not required
	Outer:	type approved and authorized box of packing group II,
		e.g. of fibreboard (4G) or of natural wood, ordinary (4C1)
_		
3	Information of mass	

- 14.3Information of mass:<br/>Net explosive quantity (NEQ) per article:max. 2,4 gTotal mass per article:max. 69 g
- 14.4 Additional information: Exemptions (1.1.3.6 ADR): unlimited.

ROTTWEIL AND GECO SHOTSHELLS										
			Name	Date	Doc-Typ	Document	Part	Version	Page	
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	30.05.2016	700	600012	EN0	02	5/6	
		Released	RTWIRO	30.05.2016	290	000012	EINU	02	5/0	

# VOLUNTARY SAFETY INFORMATION

# FOLLOWING THE SAFETY DATA SHEET FORMAT ACCORDING TO REGULATION (EC) NO. 1907/2006 (REACH)

# 15. <u>Regulatory information</u>

15.1 Safety, health and environmental regulations/specific legislation:

#### 15.1.1 EU-Legislation:

Directive 91/477/EEC on control of the acquisition and possession of weapons. Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.

15.1.2 National regulations:

Observe in addition any national regulations! Preventive industrial medical examinations are to be offered.

Water hazard class (WGK): Article, not applicable

Chemikaliengesetz (ChemG) Sprengstoffgesetz (SprengG) Waffengesetz (WaffG) Beschussgesetz (BeschussG) Kriegswaffenkontrollgesetz (KWKG) Gefahrstoffverordnung (GefStoffV) Technische Regeln für Gefahrstoffe: TRGS Berufsgenossenschaftliche Vorschriften: DGUV

TRGS 510, 900, 903, 905 DGUV Regel 113-017

#### 16. Other information

- 16.1 Indication of changes: Editorial revision.
- 16.2 Relevant H- and EUH-phrases (Number and full text):
  - H-phrases:
    - 200 Unstable explosives.

300+310+330 Fatal if swallowed, in contact with skin or if inhaled.

373 May cause damage to organs through prolonged or repeated exposure.

411 Toxic to aquatic life with long lasting effects.

16.3 Further information:

The above information describes exclusively the safety requirements of the article and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the article for storage, processing, transport and disposal. The information cannot be transferred to other articles.

			Name	Date	Doc-Typ	Document	Part	Version	Page
RUAG	Protection notices DIN ISO 16016	Created	RTWIRO	30.05.2016	700	600012	EN0	02	6/6
		Released	RTWIRO	30.05.2016	290	000012	EINU	02	0/0